



# PRICE LIST

TECHNICAL INSULATION  
VALID FROM 1<sup>ST</sup> FEBRUARY 2024  
POLAND

## INDUSTRIAL APPLICATIONS



**PAROC**<sup>®</sup>

# TABLE OF CONTENTS

Contact Us ..... 3

## PAROC products for industrial applications ..... 4

### Pipe Sections

PAROC Pro Section (WR) 100	6
PAROC Pro Section (WR) 100 AluCoat	6
PAROC Pro Section (WR) 120	8
PAROC Pro Section (WR) 120 AluCoat	8
PAROC Pro Section (WR) 140	8
PAROC Pro Section (WR) 140 AluCoat	8
PAROC Pro Section (WR) DL 100	9
PAROC Pro Section (WR) DL 120	9
PAROC Pro Section (WR) DL 140	10
PAROC Pro Section (WR) DL1	10
PAROC Pro Curve (WR) 100	11
PAROC Pro Curve (WR) 120	11
PAROC Pro Curve (WR) 140	11
PAROC Pro Lock (WR) 100	12
PAROC Pro Lock (WR) 140	12

### Bends and Segments

PAROC Pro Segment (WR) 100	13
PAROC Pro Segment (WR) 120	13
PAROC Pro Segment (WR) 140	14
PAROC Pro Segment (WR) DL 100	14
PAROC Pro Segment (WR) DL 120	15
PAROC Pro Segment (WR) DL 140	15
PAROC Pro Segment (WR) DL1	16
PAROC Pro Bend (WR) 100	17
PAROC Pro Bend (WR) 120	18
PAROC Pro Bend (WR) 140	18

### Lamella Mats

PAROC Pro Lamella Mat (WR) AluCoat	19
PAROC Pro Lamella Mat (WR) 80 AluCoat	20
PAROC Pro Lamella Mat (WR) 100 AluCoat	21

### Wired Mats

PAROC Pro Wired Mat (WR) 550	22
PAROC Pro Wired Mat (WR) 550 AL1	22
PAROC Pro Wired Mat (WR) 660	23
PAROC Pro Wired Mat (WR) 660 AL1	23
PAROC Pro Wired Mat (WR) 660 AluCoat	23
PAROC Pro Wired Mat 80	24
PAROC Pro Wired Mat 80 Comfort	24
PAROC Pro Wired Mat 80 AluCoat	24
PAROC Pro Wired Mat LE 80	24
PAROC Pro Wired Mat LE 80 Comfort	24
PAROC Pro Wired Mat (WR) 680	25
PAROC Pro Wired Mat (WR) 680 AL1	25
PAROC Pro Wired Mat (WR) 680 AluCoat	25
PAROC Pro Wired Mat 100	26
PAROC Pro Wired Mat 100 Comfort	26
PAROC Pro Wired Mat 100 AluCoat	26
PAROC Pro Wired Mat LE 100	26
PAROC Pro Wired Mat LE 100 Comfort	26
PAROC Pro Wired Mat (WR) 700 TH1	27
PAROC Pro Wired Mat (WR) 700 AL1 TH1	27
PAROC Wired Mat (WR) 700 AL1 TH1/AluCoat TH1	27

### Slabs

PAROC Pro Roof Slab (WR) 20 kPa	28
PAROC Pro Roof Slab (WR) 50 kPa	29
PAROC Pro Roof Slab 80 kPa	30
PAROC Pro Slab (WR) 350	31
PAROC Pro Slab (WR) 350 AluCoat	31
PAROC Pro Slab (WR) 450	32
PAROC Pro Slab (WR) 450 AluCoat	32
PAROC Pro Slab (WR) 640	33
PAROC Pro Slab (WR) 640 AluCoat	33
PAROC Pro Slab (WR) 660	34
PAROC Pro Slab (WR) 660 AluCoat	34
PAROC Pro Slab (WR) 680	35
PAROC Pro Slab (WR) 680 AluCoat	35
PAROC Pro Slab (WR) 700	36
PAROC Pro Slab (WR) 700 AluCoat	36

### Mats

PAROC Pro Mat (WR) 350	37
PAROC Pro Mat (WR) 350 AluCoat	37
PAROC Pro Mat (WR) 640	38
PAROC Pro Mat (WR) 640 AluCoat	38
PAROC Pro Mat (WR) 660	39
PAROC Pro Mat (WR) 660 AluCoat	39
PAROC Pro Loose Mat (WR) 600	40
PAROC Pro Loose Mat (WR) 660	41
PAROC Pro Loose Wool	41

### Clad System

PAROC Pro Section (WR) 140 Clad T	42
PAROC Pro Combi (WR) 140 Clad T	43
PAROC Pro Bend (WR) 140 Clad	43
PAROC Pro Segment (WR) 140 Clad	44
PAROC Pro Lamella Mat (WR) Clad	45
PAROC Clad Dots	46
PAROC Clad Tape	47
PAROC Clad Alu Tape	47
PAROC Pro Roof Wedge (WR)	47

### Accessories

PAROC Pallet Hoods	49
PAROC Pro Knives	49
PAROC Spatula	49
PAROC CUI Spacers	50
PAROC Head Pins Insulated	51
PAROC Head Pins	51
PAROC Welding Device	52
PAROC AluCoat Tape	52
PAROC Galvanized Wire	52
PAROC HT Tape	53
PAROC Hvac Dots	53
PAROC Pro Cladding Support 100 and 140	53

*(WR) = water-repellent version available without surcharge (article numbers refer to non-WR version)*



## PAROC PRO

products for industrial applications are tested according to both ASTM and EN standards

**Quick access: Click on the desired product or content page to immediately navigate to it.  
Clicking on 'Table of Contents' will direct you back to the index page.  
Hyperlinks will take you to relevant additional pages or research sources.**

# CONTACT US

Sales Manager

**Mirosław Paliwoda**

Mobile: +48608697002  
[miroslaw.paliwoda@owenscorning.com](mailto:miroslaw.paliwoda@owenscorning.com)

*ask your local sales representative for updated terms and conditions*



Paroc Headquarter



Paroc Production / Branch



Paroc Sales Office



Paroc Sales Representative



## INTERNATIONAL CONTACTS

Segment Manager Industry

**Rune Hagensen**

[rune.hagensen@owenscorning.com](mailto:rune.hagensen@owenscorning.com)

Technical Support

**Craig Treanor**

[craig.treanor@owenscorning.com](mailto:craig.treanor@owenscorning.com)

Marketing Manager Industry

**Claudia Beling**

[claudia.beling@owenscorning.com](mailto:claudia.beling@owenscorning.com)


# PAROC PRODUCTS FOR INDUSTRIAL APPLICATIONS



# EXPLANATION OF SYMBOLS

## TECHNICAL SPECIFICATIONS


Melting point




Non-combustible



Maximum service temperature




Nominal density




## DIMENSIONS

Thickness




Width




Length



Inner diameter



Insulation thickness



Section length



## ADDITIONAL INFORMATION

Data sheet

Accessories

Installation video

Packing details

Dimension Guide

Installation manual

Product in stock

	11.11	123456	
--	-------	--------	--

Water-repellent version available without surcharge

**(WR)**

Article numbers refer to non-WR version

# PIPE SECTIONS





PAROC PRO SECTION WR 100

PAROC PRO SECTION 100

PAROC PRO SECTION WR 100 ALUOCOAT

PAROC PRO SECTION 100 ALUOCOAT

Concentric, dimensionally accurate stone wool pipe sections,  
in one or two segments, slotted on one side



Pallet price list - extra charge for a package delivered in bulk - 10.00 PLN

Delivery time: **fast** - 3 days; **standard** - 5 days, **special** - individual

Nominal insulation thickness, mm												
Inner diameter mm	20	25	30	40	50	60	70	80	90	100	120	140
	PLN/m	PLN/m	PLN/m	PLN/m	PLN/m	PLN/m	PLN/m	PLN/m	PLN/m	PLN/m	PLN/m	PLN/m
15	13.17	16.64	19.74	28.20	35.11							
18	13.37	17.47	20.53	29.31	36.24	48.76						
22	14.37	18.65	20.75	29.60	37.27	51.72		66.62				
28	15.15	19.36	21.17	30.47	38.91	54.69	67.60	71.92				
35	15.77	20.53	23.58	32.72	40.67	57.65	72.22	77.10	93.04	98.35	115.52	
42	16.96	21.38	24.47	34.09	41.37	59.21	77.94	84.22	99.96			
48	17.42	22.70	25.00	34.92	46.38	61.52	82.44	89.40	106.75			
54	18.62	23.27	27.98	39.44	50.49	63.86	88.44	96.63	112.47	117.75		
60	19.33	24.83	29.01	41.04	52.94	66.57	93.58	102.60	117.92	123.07		
64	23.41	27.05	31.26	45.55	55.52	74.13	99.47	107.93	124.18	129.60	167.14	
70	25.63	28.33	32.46	46.82	59.51	78.14	104.68	113.54	133.61	140.30	175.89	
76	28.15	28.79	33.02	47.87	61.47	79.25	107.56	116.99	146.32	156.12	183.71	
89	30.62	35.12	37.46	55.23	66.33	81.85	120.90	133.93	161.18	170.27	187.58	
102		46.09	53.28	68.11	82.00	104.09	146.64	160.83	193.88	204.92	230.90	



Please email to [Miroslaw.paliwoda@owenscorning.com](mailto:Miroslaw.paliwoda@owenscorning.com)



# PIPE SECTIONS

PAROC PRO SECTION WR 100

PAROC PRO SECTION 100

PAROC PRO SECTION WR 100 ALUCOAT

PAROC PRO SECTION 100 ALUCOAT



**Accessories (pages 49 - 53):**  
 PAROC Pro Knife XTK001/003  
 PAROC CUI Spacers  
 PAROC Galvanized Wire  
 PAROC Pallet Hoods

Concentric, dimensionally accurate stone wool pipe sections, in one or two segments, slotted on one side


Pallet price list - extra charge for a package delivered in bulk - 10.00 PLN

Delivery time: **fast** - 3 days; **standard** - 5 days, **special** - individual

Inner diameter mm	Nominal insulation thickness, mm												
	20	25	30	40	50	60	70	80	90	100	120	140	
	PLN/m	PLN/m	PLN/m	PLN/m	PLN/m	PLN/m	PLN/m	PLN/m	PLN/m	PLN/m	PLN/m	PLN/m	PLN/m
108		47.53	55.35	70.16	82.66	105.34	150.67	165.80	198.38	209.28	232.44		
114		52.60	57.31	72.03	90.65	109.30	157.24	173.18	204.22	214.58	237.08		
121		58.71	68.07	76.76	96.68	114.20	162.28	178.31	215.66	228.12	247.69		
133		60.75	69.89	80.21	97.15	116.38	165.60	181.98	219.34	231.81	251.50		
140		75.40	78.36	93.72	106.66	129.92	186.59	205.48	255.83	272.60	281.57		
159		84.31	88.50	106.17	113.99	140.28	201.51	221.91	265.93	280.61	287.46		
168		97.74	100.40	114.09	123.23	151.42	214.50	235.55	273.11	285.63	295.65		
194			105.23	126.81	139.89	161.13	230.02	252.97	301.92	318.25	364.41		
219			115.97	143.53	170.17	178.72	254.05	279.17	334.89	353.47	371.73	412.37	
273			124.05	153.58	173.57	193.14	261.85	284.75	341.59	360.53	387.20	466.01	
289			174.57	193.98	215.02	254.34	338.71	366.86	423.14	441.89	486.08	559.01	
295			181.56	201.73	219.29	271.10	353.30	380.76	435.59	453.86	499.23	574.13	
305			188.80	209.77	223.70	283.20	364.49	391.59	445.78	463.83	510.24	586.77	
324			196.39	218.22	228.17	297.52	376.96	403.42	456.41	474.08	521.46	599.69	
356			203.00	225.57	237.45	341.05	427.28	456.06	513.55	532.71	585.96	673.89	
371			216.19	240.21	252.83	365.91	456.36	486.52	546.84	566.97	623.65	717.18	
406			230.27	255.83	269.30	385.22	478.11	509.08	571.00	591.63	650.80	748.41	
426			237.63	264.04	277.93	402.66	498.46	530.36	594.24	615.48	677.04	778.61	
457			256.84	285.38	300.39	447.32	559.67	597.13	672.01	697.01	766.69	881.70	
479			267.90	297.65	313.29	464.33	585.55	625.95	706.74	733.69	807.04	928.11	
508			283.37	314.86	331.43	484.88	613.29	656.07	741.67	770.21	847.22	974.33	
533				325.87	342.99	488.77	627.66	673.97	766.57	797.44	877.20	1008.77	
558				340.44	358.36	517.45	662.70	711.11	807.94	840.23	924.27	1062.89	
612				357.08	375.90	531.56	686.92	738.70	842.25	876.81	964.46	1109.16	
630				385.04	405.28	551.31	713.00	766.89	874.66	910.59	1001.65	1151.91	
714					426.34	582.19	744.25	798.29	906.34	942.36	1036.58	1192.08	
813					515.62	656.32	802.71	851.52	949.13	981.64	1079.84	1241.80	
914					574.43	691.00	845.87	897.47	1000.74	1035.13	1138.64	1309.46	



Please email to [Miroslaw.paliwoda@owenscorning.com](mailto:Miroslaw.paliwoda@owenscorning.com)



## PIPE SECTIONS






**PAROC PRO SECTION WR 120**

**PAROC PRO SECTION 120**

**PAROC PRO SECTION WR 120 ALUGOAT**

**PAROC PRO SECTION 120 ALUGOAT**

Concentric, dimensionally accurate stone wool pipe sections, in one or two segments, slotted on one side



Need prices? Please email to [Miroslaw.paliwoda@owenscorning.com](mailto:Miroslaw.paliwoda@owenscorning.com)

## PIPE SECTIONS






**PAROC PRO SECTION WR 140**

**PAROC PRO SECTION 140**

**PAROC PRO SECTION WR 140 ALUGOAT**

**PAROC PRO SECTION 140 ALUGOAT**

PAROC Pro Section 140 is a non-combustible stonewool pipe section for industrial pipe lines



Need prices? Please email to [Miroslaw.paliwoda@owenscorning.com](mailto:Miroslaw.paliwoda@owenscorning.com)









# PIPE SECTIONS

## PAROC PRO SECTION (WR) DL 100

Stonewool pipe section in two layers for industrial pipelines



**Accessories (pages 49 - 53):**  
 PAROC Pro Knife XTK001/003  
 PAROC CUI Spacers  
 PAROC Galvanized Wire  
 PAROC Pallet Hoods



Watch our video  
 on energy efficiency with  
 PAROC Pro Sections!



Need prices? Please email to [Miroslaw.paliwoda@owenscorning.com](mailto:Miroslaw.paliwoda@owenscorning.com)






# PIPE SECTIONS

## PAROC PRO SECTION (WR) DL 120

Stonewool pipe section in two layers for industrial pipelines



**Accessories (pages 49 - 53):**  
 PAROC Pro Knife XTK001/003  
 PAROC CUI Spacers  
 PAROC Galvanized Wire  
 PAROC Pallet Hoods



Need prices? Please email to [Miroslaw.paliwoda@owenscorning.com](mailto:Miroslaw.paliwoda@owenscorning.com)





## PIPE SECTIONS

### PAROC PRO SECTION (WR) DL 140

PAROC Pro Section 140 is a non-combustible stonewool pipe section for industrial pipe lines



**Accessories (pages 49 - 53):**  
 PAROC Pro Knife XTK001/003  
 PAROC CUI Spacers  
 PAROC Galvanized Wire  
 PAROC Pallet Hoods



Need prices? Please email to [Miroslaw.paliwoda@owenscorning.com](mailto:Miroslaw.paliwoda@owenscorning.com)







## PIPE SECTIONS

### PAROC PRO SECTION (WR) DL1

Stonewool pipe section in 2 layers for industrial pipe lines



**Accessories (pages 49 - 53):**  
 PAROC Pro Knife XTK001/003  
 PAROC CUI Spacers  
 PAROC Galvanized Wire  
 PAROC Pallet Hoods







Need prices? Please email to [Miroslaw.paliwoda@owenscorning.com](mailto:Miroslaw.paliwoda@owenscorning.com)

# PIPE SECTIONS

- PAROC PRO CURVE (WR) 100
- PAROC PRO CURVE (WR) 120
- PAROC PRO CURVE (WR) 140

 **Accessories (pages 49 - 53):**  
PAROC Pro Knife XTK001/003  
PAROC CUI Spacers  
PAROC Galvanized Wire  
PAROC Pallet Hoods

PAROC Pro Section (WR) is a non-combustible stonewool pipe section for industrial pipe lines where the risk of CUI (corrosion under insulation) is present



Watch our video  
on energy efficiency with  
PAROC Pro Sections!



WR 100 WR 120 WR 140

Need prices? Please email to [Miroslaw.paliwoda@owenscorning.com](mailto:Miroslaw.paliwoda@owenscorning.com)

## PIPE SECTIONS







### PAROC PRO LOCK (WR) 100

Stonewool pipe section with a z-joint on the longitudinal and circumferential seams



Accessories (pages 49 - 53):

PAROC Pro Knife XTK001/003  
PAROC CUI Spacers  
PAROC Galvanized Wire  
PAROC Pallet Hoods



Need prices? Please email to [Miroslaw.paliwoda@owenscorning.com](mailto:Miroslaw.paliwoda@owenscorning.com)

## PIPE SECTIONS





### PAROC PRO LOCK (WR) 140

Stonewool pipe section with a z-joint on the longitudinal and circumferential seams



Accessories (pages 49 - 53):

PAROC Pro Knife XTK001/003  
PAROC CUI Spacers  
PAROC Galvanized Wire  
PAROC Pallet Hoods



Need prices? Please email to [Miroslaw.paliwoda@owenscorning.com](mailto:Miroslaw.paliwoda@owenscorning.com)

## BENDS AND SEGMENTS






### PAROC PRO SEGMENT (WR) 100

Ready cut segment for medium and big size pipe elbows made of non-combustible stone wool pipe section



Accessories (pages 49 - 53):

PAROC Pro Knife XTK001/003  
PAROC CUI Spacers  
PAROC Galvanized Wire  
PAROC Pallet Hoods



Need prices? Please email to [Miroslaw.paliwoda@owenscorning.com](mailto:Miroslaw.paliwoda@owenscorning.com)

## BENDS AND SEGMENTS





### PAROC PRO SEGMENT (WR) 120

Ready cut segment for medium and big size pipe elbows made of non-combustible stone wool pipe section



Accessories (pages 49 - 53):

PAROC Pro Knife XTK001/003  
PAROC CUI Spacers  
PAROC Galvanized Wire  
PAROC Pallet Hoods








Need prices? Please email to [Miroslaw.paliwoda@owenscorning.com](mailto:Miroslaw.paliwoda@owenscorning.com)

## BENDS AND SEGMENTS

### PAROC PRO SEGMENT (WR) 140

Ready cut segment for medium and big size pipe elbows made of non-combustible stone wool pipe section








Need prices? Please email to [Miroslaw.paliwoda@owenscorning.com](mailto:Miroslaw.paliwoda@owenscorning.com)

## BENDS AND SEGMENTS

### PAROC PRO SEGMENT (WR) DL 100

Cut segment in double layer for medium and big size pipe elbows in high temperature made of non-combustible stone wool pipe section



Need prices? Please email to [Miroslaw.paliwoda@owenscorning.com](mailto:Miroslaw.paliwoda@owenscorning.com)

**Accessories (pages 49 - 53):**  
 PAROC Pro Knife XTK001/003  
 PAROC CUI Spacers  
 PAROC Galvanized Wire  
 PAROC Pallet Hoods

**Accessories (pages 49 - 53):**  
 PAROC Pro Knife XTK001/003  
 PAROC CUI Spacers  
 PAROC Galvanized Wire  
 PAROC Pallet Hoods

## BENDS AND SEGMENTS

### PAROC PRO SEGMENT (WR) DL 120

Cut segment in double layer for medium and big size pipe elbows in high temperature made of non-combustible stone wool pipe section








Accessories (pages 49 - 53):

PAROC Pro Knife XTK001/003

PAROC CUI Spacers

PAROC Galvanized Wire

PAROC Pallet Hoods



Need prices? Please email to [Miroslaw.paliwoda@owenscorning.com](mailto:Miroslaw.paliwoda@owenscorning.com)

## BENDS AND SEGMENTS

### PAROC PRO SEGMENT (WR) DL 140

Cut segment in double layer for medium and big size pipe elbows in high temperature made of non-combustible stone wool pipe section









Accessories (pages 49 - 53):

PAROC Pro Knife XTK001/003

PAROC CUI Spacers

PAROC Galvanized Wire

PAROC Pallet Hoods







Need prices? Please email to [Miroslaw.paliwoda@owenscorning.com](mailto:Miroslaw.paliwoda@owenscorning.com)

# BENDS AND SEGMENTS

## PAROC PRO SEGMENT (WR) DL1

Cut segment in double layer for medium and big size pipe elbows in high temperature made of non-combustible stone wool pipe section

 **Accessories (pages 49 - 53):**  
PAROC Pro Knife XTK001/003  
PAROC CUI Spacers  
PAROC Galvanized Wire  
PAROC Pallet Hoods



Need prices? Please email to [Miroslaw.paliwoda@owenscorning.com](mailto:Miroslaw.paliwoda@owenscorning.com)








# BENDS AND SEGMENTS

## PAROC PRO BEND (WR) 100

Prefabricated insulation component made of stonewool

**Accessories (pages 49 - 53):**  
 PAROC Pro Knife XTK001/003  
 PAROC CUI Spacers  
 PAROC Galvanized Wire  
 PAROC Pallet Hoods



Pallet price list - extra charge for a package delivered in bulk - 10.00 PLN

Delivery time: **fast** - 3 days; **standard** - 5 days, **special** - individual

Inner diameter mm	Nominal insulation thickness, mm					
	30	40	50	60	80	100
	PLN/m	PLN/m	PLN/m	PLN/m	PLN/m	PLN/m
15	20.72	29.57				
18	21.55	30.74	37.98	51.13		
22	21.72	31.04	39.08	54.25	74.12	
28	22.22	31.96	40.79	57.36	75.40	
35	24.75	34.31	42.62	60.44	80.82	
42	25.64	35.75	43.36	62.10	88.30	
48	26.22	36.61	48.66	64.52	93.75	
54	29.37	41.35	52.93	66.94	101.32	
60	30.42	43.01	55.53	69.80	107.56	129.01
64	32.78	47.75	58.19	77.72	113.18	135.89
70	34.04	49.07	62.37	81.94	119.04	147.12
76	34.65	50.18	64.45	83.10	122.68	163.72
89	39.30	57.90	69.56	85.80	140.45	
102	55.87	71.44	85.98	109.14	168.65	
108	58.04	73.56	86.69	110.46	173.84	
114	60.07	75.54	95.07	114.64	181.61	
133	73.27	84.09	101.84	122.03		
140	86.22	103.09	117.36	142.94		
159	97.39	116.84	125.45			
168	110.47	125.55	135.61			



Please email to [Miroslaw.paliwoda@owenscorning.com](mailto:Miroslaw.paliwoda@owenscorning.com)








## BENDS AND SEGMENTS

### PAROC PRO BEND (WR) 120

Prefabricated insulation component made of stonewool



**Accessories (pages 49 - 53):**  
 PAROC Pro Knife XTK001/003  
 PAROC CUI Spacers  
 PAROC Galvanized Wire  
 PAROC Pallet Hoods



Need prices? Please email to [Miroslaw.paliwoda@owenscorning.com](mailto:Miroslaw.paliwoda@owenscorning.com)





## BENDS AND SEGMENTS

### PAROC PRO BEND (WR) 140

Prefabricated insulation component made of stonewool



**Accessories (pages 49 - 53):**  
 PAROC Pro Knife XTK001/003  
 PAROC CUI Spacers  
 PAROC Galvanized Wire  
 PAROC Pallet Hoods



Need prices? Please email to [Miroslaw.paliwoda@owenscorning.com](mailto:Miroslaw.paliwoda@owenscorning.com)

# LAMELLA MATS






## PAROC PRO LAMELLA MAT (WR) ALUCOAT

Stonewool lamella mat laminated on one side with a grid-reinforced aluminum foil



### Accessories (pages 49 - 53):

- PAROC AluCoat Tape
- PAROC Marine Tape Gerband 705
- PAROC Hvac Dots
- PAROC Head Pins Insulated
- PAROC Spatula
- PAROC Welding Device
- PAROC Pro Knife XTK001/003
- PAROC Galvanized Wire
- PAROC Pallet Hoods



Delivery time: **fast** - 3 days; **standard** - 5 days, **special** - individual

Thickness	Length	Width	m <sup>2</sup> /pack	m <sup>2</sup> /pallet	Price	
mm	mm	mm			PLN/m <sup>2</sup>	SKU
20	10000	1000	10.0		<b>39.65</b>	
30	8000	1000	8.00	200.0	<b>48.52</b>	8509039
40	6000	1000	6.00	150.0	<b>58.20</b>	8510136
50	5000	1000	5.00	125.0	<b>66.39</b>	8510148
80	3000	1000	3.00	75.0	<b>115.93</b>	8510141



Please email to [Miroslaw.paliwoda@owenscorning.com](mailto:Miroslaw.paliwoda@owenscorning.com)








# LAMELLA MATS

## PAROC PRO LAMELLA MAT (WR) 80 ALUcoat

Non-combustible stone wool insulation for thermal and condensation insulation of ventilation ducts and equipment. It has a reinforced aluminium foil facing

**Accessories (pages 49 - 53):**  
 PAROC AluCoat Tape  
 PAROC Marine Tape Gerband 705  
 PAROC Hvac Dots  
 PAROC Head Pins Insulated  
 PAROC Spatula  
 PAROC Welding Device  
 PAROC Pro Knife XTK001/003  
 PAROC Galvanized Wire  
 PAROC Pallet Hoods



Delivery time: **fast** - 3 days; **standard** - 5 days, **special** - individual

Thickness	Length	Width	m <sup>2</sup> /pack	m <sup>2</sup> /pallet	Price	
mm	mm	mm			PLN/m <sup>2</sup>	SKU
30	6000	1000	6.0	150	73.17	8522991
40	6000	1000	5.0	100	79.44	8560422
50	4000	1000	6.0		100.34	8560422



Please email to [Miroslaw.paliwoda@owenscorning.com](mailto:Miroslaw.paliwoda@owenscorning.com)



# LAMELLA MATS






## PAROC PRO LAMELLA MAT (WR) 100 ALUCOAT

Stonewool lamella mat laminated on one side with a grid-reinforced aluminum foil



### Accessories (pages 49 - 53):

PAROC AluCoat Tape  
PAROC Marine Tape Gerband 705  
PAROC Hvac Dots  
PAROC Head Pins Insulated  
PAROC Spatula  
PAROC Welding Device  
PAROC Pro Knife XTK001/003  
PAROC Galvanized Wire  
PAROC Pallet Hoods








Need prices? Please email to [Miroslaw.paliwoda@owenscorning.com](mailto:Miroslaw.paliwoda@owenscorning.com)

# WIRED MATS

**PAROC PRO WIRED MAT (WR) 550**  
**PAROC PRO WIRED MAT (WR) 550 AL1**

Stonewool wired mat with galvanized net. Available also with stainless steel net and/or sewing wire with water-repellent features

 **Accessories (pages 49 - 53):**  
 PAROC Pro Cladding Support  
 PAROC Head Pins  
 PAROC Galvanized Wire  
 PAROC Pallet Hoods



Delivery time: **fast** - 3 days; **standard** - 5 days, **special** - individual

Thickness	Length	Width	m <sup>2</sup> /pack	m <sup>2</sup> /pallet	Price	
mm	mm	mm			PLN/m <sup>2</sup>	SKU
50	5000	1000	5.00	105.0	60.30	8581648
100	2500	1000	2.50	52.5	103.65	8581658



Please email to [Miroslaw.paliwoda@owenscorning.com](mailto:Miroslaw.paliwoda@owenscorning.com)



# WIRED MATS

PAROC PRO WIRED MAT (WR) 660

PAROC PRO WIRED MAT (WR) 660 AL1

PAROC PRO WIRED MAT (WR) 660 ALUCOAT

Stonewool mat with wire thread quilting on galvanized wire mesh



Accessories (pages 49 - 53):







PAROC Pro Knife XTK001/003

PAROC HT Tape

PAROC Head Pins Insulated

PAROC Head Pins

PAROC Pro Cladding Support



Delivery time: **fast** - 3 days; **standard** - 5 days, **special** - individual

Thickness	Length	Width	m <sup>2</sup> /pack	m <sup>2</sup> /pallet	Price			
					PLN/m <sup>2</sup>	SKU	PLN/m <sup>2</sup>	SKU
mm	mm	mm			Plain		AL1	
30	8000	1000	8.00	168.00	<b>45.45</b>	8580258		
40	6500	1000	5.00	136.50	<b>53.54</b>	1231234	<b>65.36</b>	8580813
50	5000	1000	5.00	105.00	<b>62.53</b>	8579982	<b>74.41</b>	8580815
60	4000	1000	4.00	84.00	<b>72.58</b>	8565004	<b>84.48</b>	8580817
80	3500	1000	3.50	73.50	<b>87.67</b>	8579986	<b>99.66</b>	8580821
100	2500	1000	2.50	52.50	<b>108.82</b>	8565008	<b>120.97</b>	8580825
120	2000	1000	2.00	42.00	<b>128.99</b>	8580712		



Please email to [Miroslaw.paliwoda@owenscorning.com](mailto:Miroslaw.paliwoda@owenscorning.com)









# WIRED MATS

- PAROC PRO WIRED MAT 80\***
- PAROC PRO WIRED MAT 80 COMFORT\***
- PAROC PRO WIRED MAT 80 ALUCOAT\***
- PAROC PRO WIRED MAT LE 80\***
- PAROC PRO WIRED MAT LE 80 COMFORT\***

**Accessories (pages 49 - 53):**  
 PAROC Pro Knife XTK001/003  
 PAROC HT Tape  
 PAROC Head Pins Insulated  
 PAROC Head Pins  
 PAROC Pro Cladding Support

Stonewool mat with wire thread quilting on galvanized wire mesh



*\*only available in certain markets*

Need prices? Please email to [Miroslaw.paliwoda@owenscorning.com](mailto:Miroslaw.paliwoda@owenscorning.com)









# WIRED MATS

**PAROC PRO WIRED MAT (WR) 680**  
**PAROC PRO WIRED MAT WR 680 AL1**  
**PAROC PRO WIRED MAT WR 680 ALUCOAT**

Stonewool mat with wire thread quilting on galvanized wire mesh



**Accessories (pages 49 - 53):**  
 PAROC Pro Knife XTK001/003  
 PAROC HT Tape  
 PAROC Head Pins Insulated  
 PAROC Head Pins  
 PAROC Pro Cladding Support



Delivery time: **fast** - 3 days; **standard** - 5 days, **special** - individual

Thickness	Length	Width	m <sup>2</sup> /pack	m <sup>2</sup> /pallet	Price			
					Plain		AL1	
					PLN/m <sup>2</sup>	SKU	PLN/m <sup>2</sup>	SKU
mm	mm	mm						
30	8000	1000	8.00	168,00	51.32	8565041	63.02	
40	6500	1000	6.50	136,50	60.13	8565043	71.86	8580957
50	4500	1000	4.50	94,50	71.89	8580005	83.78	8580959
60	4000	1000	4.00	84,00	82.29	8565047	94.29	8580961
80	3500	1000	3.50	73,50	100.87	8565049	112.43	8580965
100	2500	1000	2.50	52,50	125.10	8580007	137.31	8580969
120	2000	1000	2,00	42,00	148.56	8581917		



Please email to [Miroslaw.paliwoda@owenscorning.com](mailto:Miroslaw.paliwoda@owenscorning.com)



# WIRED MATS

**PAROC PRO WIRED MAT 100\***

**PAROC PRO WIRED MAT 100 COMFORT\***

**PAROC PRO WIRED MAT 100 ALUCOAT\***







**PAROC PRO WIRED MAT LE 100\***

**PAROC PRO WIRED MAT LE 100 COMFORT\***



**Accessories (pages 49 - 53):**  
 PAROC Pro Knife XTK001/003  
 PAROC HT Tape  
 PAROC Head Pins Insulated  
 PAROC Head Pins  
 PAROC Pro Cladding Support

Stonewool mat with wire thread quilting on galvanized wire mesh



*\*only available in certain markets*

Need prices? Please email to [Miroslaw.paliwoda@owenscorning.com](mailto:Miroslaw.paliwoda@owenscorning.com)

# WIRED MATS

PAROC PRO WIRED MAT (WR) 700 TH1

PAROC PRO WIRED MAT (WR) 700 AL1 TH1







PAROC WIRED MAT (WR) 700 AL1 TH1/ALUCOAT TH1

Stonewool mat with wire thread quilting on galvanized wire mesh



Accessories (pages 49 - 53):

PAROC Head Pins Insulated  
PAROC Head Pins  
PAROC Pro Cladding Support  
PAROC Galvanized Wire  
PAROC Pallet Hoods



\*not available in all markets

Delivery time: **fast** - 3 days; **standard** - 5 days, **special** - individual

Thickness	Length mm	Width	m <sup>2</sup> /pack	m <sup>2</sup> /pallet	Price			
					PLN/m <sup>2</sup>	SKU	PLN/m <sup>2</sup>	SKU
mm	mm	mm			Plain		AL1	
50	4500	1000	4.50	94.50	91.66		110.92	
60	4000	1000	4.00	84.00	105.98		128.22	
80	3000	1000	3.00	63.00	135.15		163.54	
100	2000	1000	2.00	42.00	172.10		208.22	



Please email to  
[Miroslaw.paliwoda@owenscorning.com](mailto:Miroslaw.paliwoda@owenscorning.com)



## LOOKING FOR HIGHER TEMPERATURE RESISTANCE?

**W2** - stainless steel wire mesh and thread; **SW2** - galvanized wire mesh and stainless steel thread

**PAROC Pro Wired Mat 550 W2 and PAROC Pro Wired Mat 550 SW2**

**PAROC Pro Wired Mat 660 W2 and PAROC Pro Wired Mat 660 SW2**

**PAROC Pro Wired Mat 680 W2 and PAROC Pro Wired Mat 680 SW2**





**PAROC Pro Wired Mat 700 W2 and PAROC Pro Wired Mat 700 SW2**

# SLABS

## PAROC PRO ROOF SLAB (WR) 20 kPa

Non-combustible stonewool slab

**Accessories (pages 49 - 53):**  
 PAROC Pro Knife XTK001/003  
 PAROC Palett Hoods  
 PAROC Head Pins  
 PAROC Welding Device



Delivery time: **fast** - 3 days; **standard** - 5 days, **special** - individual

Thickness	Length mm	Width	m <sup>2</sup> /pack	m <sup>2</sup> /pallet	Price	
mm	mm	mm			PLN/m <sup>2</sup>	SKU
50	1200	600	2.88	69.12	<b>80.53</b>	8581956
100	1200	600	1.44	34.56	<b>161.03</b>	8581958



Please email to [Miroslaw.paliwoda@owenscorning.com](mailto:Miroslaw.paliwoda@owenscorning.com)



# SLABS




## PAROC PRO ROOF SLAB (WR) 50 kPa

Non-combustible stonewool slab for industrial tank roofs. It is very strong and can withstand up to 50 kPa load during installation and maintenance



### Accessories (pages 49 - 53):

PAROC Pro Knife XTK001/003  
PAROC Palett Hoods  
PAROC Head Pins  
PAROC Welding Device



Delivery time: **fast** - 3 days; **standard** - 5 days, **special** - individual

Thickness	Length mm	Width	m <sup>2</sup> /pack	m <sup>2</sup> /pallet	Price	
mm	mm	mm			PLN/m <sup>2</sup>	SKU
50	1200	600		69.12	129.16	8581282
100	1200	600		34.56	259.86	8581298



Please email to  
[Miroslaw.paliwoda@owenscorning.com](mailto:Miroslaw.paliwoda@owenscorning.com)






# SLABS

## PAROC PRO ROOF SLAB 80 kPa\*

Non-combustible stonewool slab for industrial tank roofs. It is very strong and can withstand up to 80 kPa load during installation and maintenance

 **Accessories (pages 49 - 53):**  
PAROC Pro Knife XTK001/003  
PAROC Palett Hoods  
PAROC Head Pins  
PAROC Welding Device



Need prices? Please email to [Miroslaw.paliwoda@owenscorning.com](mailto:Miroslaw.paliwoda@owenscorning.com)


*\*only available in certain markets*

# SLABS

**PAROC PRO SLAB (WR) 350**  
**PAROC PRO SLAB (WR) 350 ALUCOAT**

**Non-combustible stonewool insulation slab**

 **Accessories (pages 49 - 53):**  
PAROC Pro Knife XTK001/003  
PAROC Palett Hoods  
PAROC Head Pins Insulated  
PAROC Head Pins  
PAROC Welding Device  
PAROC AluCoat Tape  
PAROC HT Tape



Need prices? Please email to [Miroslaw.paliwoda@owenscorning.com](mailto:Miroslaw.paliwoda@owenscorning.com)

# SLABS


## PAROC PRO SLAB (WR) 450 PAROC PRO SLAB (WR) 450 ALUCOAT

Non-combustible stonewool insulation slab



### Accessories (pages 49 - 53):


PAROC Pro Knife XTK001/003  
PAROC Palett Hoods  
PAROC Head Pins Insulated  
PAROC Head Pins  
PAROC Welding Device  
PAROC AluCoat Tape  
PAROC HT Tape




-1000 °C




NON-COMBUSTIBLE




450 °C



60 kg/m<sup>3</sup>



25 - 250 mm



600 mm



1200 mm



MARKET LEADING  
WATER REPELLENCY

Delivery time: **fast** - 3 days; **standard** - 5 days, **special** - individual

Thickness mm	Length mm	Width mm	m <sup>2</sup> /pack	m <sup>2</sup> /pallet	Price	
					PLN/m <sup>2</sup>	SKU
					Plain	
50	1200	600	5.76	69.12	42.72	8581457
100	1200	600	3.60	36.00	75.56	8581463



Please email to  
[Miroslaw.paliwoda@owenscorning.com](mailto:Miroslaw.paliwoda@owenscorning.com)









# SLABS

PAROC PRO SLAB (WR) 640  
PAROC PRO SLAB (WR) 640 ALUCOAT

Non-combustible stonewool insulation slab

**Accessories (pages 49 - 53):**  
 PAROC Pro Knife XTK001/003  
 PAROC Palett Hoods  
 PAROC Head Pins Insulated  
 PAROC Head Pins  
 PAROC Welding Device  
 PAROC AluCoat Tape  
 PAROC HT Tape



\*25 - 250 mm for AluCoat version



Delivery time: **fast** - 3 days; **standard** - 5 days, **special** - individual

Thickness	Length mm	Width	m <sup>2</sup> /pack	m <sup>2</sup> /pallet	Price	
					PLN/m <sup>2</sup>	SKU
mm	mm	mm			Plain	
50	1200	600	5.04	70.56	46.83	8581368
100	1200	600	2.16	34.56	85.78	8581380



Please email to [Miroslaw.paliwoda@owenscorning.com](mailto:Miroslaw.paliwoda@owenscorning.com)



# SLABS





**PAROC PRO SLAB (WR) 660**  
**PAROC PRO SLAB (WR) 660 ALUCOAT**

**Non-combustible stonewool insulation slab**



#### Accessories (pages 49 - 53):

PAROC Pro Knife XTK001/003  
 PAROC Palett Hoods  
 PAROC Head Pins Insulated  
 PAROC Head Pins  
 PAROC Welding Device  
 PAROC AluCoat Tape  
 PAROC HT Tape



\*25 - 210 mm for AluCoat version



**Delivery time:** **fast** - 3 days; **standard** - 5 days, **special** - individual

Thickness	Length mm	Width	m <sup>2</sup> /pack	m <sup>2</sup> /pallet	Price	
					PLN/m <sup>2</sup>	SKU
mm	mm	mm			Plain	
50	1200	600	3.60	72.00	<b>63.42</b>	8581380
100	1200	600	1.44	34.56	<b>126.83</b>	8581512



Please email to  
[Miroslaw.paliwoda@owenscorning.com](mailto:Miroslaw.paliwoda@owenscorning.com)







# SLABS

**PAROC PRO SLAB (WR) 680**  
**PAROC PRO SLAB (WR) 680 ALUCOAT**

**Non-combustible stonewool insulation slab**

**Accessories (pages 49 - 53):**  
 PAROC Pro Knife XTK001/003  
 PAROC Palett Hoods  
 PAROC Head Pins Insulated  
 PAROC Head Pins  
 PAROC Welding Device  
 PAROC AluCoat Tape  
 PAROC HT Tape



\*25 - 175 mm for AluCoat version



**Delivery time:** **fast** - 3 days; **standard** - 5 days, **special** - individual

Thickness	Length mm	Width	m <sup>2</sup> /pack	m <sup>2</sup> /pallet	Price	
					PLN/m <sup>2</sup>	SKU
mm	mm	mm			Plain	
50	1200	600	2.88	34.56	<b>72.91</b>	8581546
100	1200	600	1.44	69.12	<b>141.07</b>	8581548



Please email to [Miroslaw.paliwoda@owenscorning.com](mailto:Miroslaw.paliwoda@owenscorning.com)







# SLABS

**PAROC PRO SLAB (WR) 700**  
**PAROC PRO SLAB (WR) 700 ALUCOAT**

**Non-combustible stonewool insulation slab**

 **Accessories (pages 49 - 53):**  
PAROC Pro Knife XTK001/003  
PAROC Palett Hoods  
PAROC Head Pins Insulated  
PAROC Head Pins  
PAROC Welding Device  
PAROC AluCoat Tape  
PAROC HT Tape



\*25 - 140 mm for AluCoat version








Need prices? Please email to [Miroslaw.paliwoda@owenscorning.com](mailto:Miroslaw.paliwoda@owenscorning.com)

# MATS

## PAROC PRO MAT (WR) 350 PAROC PRO MAT (WR) 350 ALUcoat

Non-combustible stone wool mat for industrial applications

**Accessories (pages 49 - 53):**  
 PAROC AluCoat Tape  
 PAROC Head Pins  
 PAROC Head Pins Insulated  
 PAROC Knives XTK001/003  
 PAROC Welding Device  
 PAROC Galvanized Wire  
 PAROC Pallet Hoods



Delivery time: **fast** - 3 days; **standard** - 5 days, **special** - individual

Thickness	Length mm	Width	m <sup>2</sup> /pack	m <sup>2</sup> /pallet	Price	
					PLN/m <sup>2</sup>	SKU
mm	mm	mm			Plain	
50	6500	1000	6.50	136.50	46.85	8560663
60	6000	1000	6.00	126.00	55.43	
80	5000	1000	5.00	105.00	72.93	
100	4000	1000	4.00	84.00	85.08	8560678

Thickness	Length mm	Width	m <sup>2</sup> /pack	m <sup>2</sup> /pallet	Price	
					PLN/m <sup>2</sup>	SKU
mm	mm	mm			AluCoat	
40	7000	1000	7.00	147.00	49.99	
50	6500	1000	6.50	136.50	57.87	
60	6000	1000	6.00	126.00	65.99	
80	5000	1000	5.00	105.00	82.33	
100	4000	1000	4.00	84.00	99.31	
120	2500	1000	2.50	52.50	121.79	



Please email to [Miroslaw.paliwoda@owenscorning.com](mailto:Miroslaw.paliwoda@owenscorning.com)








# MATS

## PAROC PRO MAT (WR) 640 PAROC PRO MAT (WR) 640 ALUcoat

Non-combustible stone wool mat for industrial applications

**Accessories (pages 49 - 53):**  
 PAROC AluCoat Tape  
 PAROC Head Pins  
 PAROC Head Pins Insulated  
 PAROC Knives XTK001/003  
 PAROC Welding Device  
 PAROC Galvanized Wire  
 PAROC Pallet Hoods



Delivery time: **fast** - 3 days; **standard** - 5 days, **special** - individual

Thickness	Length mm	Width	m <sup>2</sup> /pack	m <sup>2</sup> /pallet	Price	
					PLN/m <sup>2</sup>	SKU
mm	mm	mm			Plain	
50	5000	1000	5.00	105.00	<b>63.54</b>	
60	4000	1000	4.00	84.00	<b>76.57</b>	
80	3500	1000	3.50	73.50	<b>94.50</b>	
100	2500	1000	2.50	42.00	<b>117.28</b>	

Thickness	Length mm	Width	m <sup>2</sup> /pack	m <sup>2</sup> /pallet	Price	
					PLN/m <sup>2</sup>	SKU
mm	mm	mm			AluCoat	
50	5000	1000	5.00	105.00	<b>76.86</b>	
100	2000	1000	2.00	42.00	<b>136.78</b>	



Please email to [Miroslaw.paliwoda@owenscorning.com](mailto:Miroslaw.paliwoda@owenscorning.com)








# MATS

## PAROC PRO MAT (WR) 660 PAROC PRO MAT (WR) 660 ALUCOAT

Non-combustible stone wool mat for industrial applications

**Accessories (pages 49 - 53):**  
 PAROC AluCoat Tape  
 PAROC Head Pins  
 PAROC Head Pins Insulated  
 PAROC Knives XTK001/003  
 PAROC Welding Device  
 PAROC Galvanized Wire  
 PAROC Pallet Hoods



Delivery time: **fast** - 3 days; **standard** - 5 days, **special** - individual

Thickness	Length mm	Width	m <sup>2</sup> /pack	m <sup>2</sup> /pallet	Price	
					PLN/m <sup>2</sup>	SKU
mm	mm	mm			Plain	
40	6500	1000	4.00	84.00	<b>70.59</b>	
50	4500	1000	5.00	105.00	<b>76.48</b>	
60	4000	1000	6.00	126.00	<b>87.56</b>	
80	3500	1000	8.00	168.00	<b>108.12</b>	
100	2000	1000	10.00	210.00	<b>134.73</b>	

Thickness	Length mm	Width	m <sup>2</sup> /pack	m <sup>2</sup> /pallet	Price	
					PLN/m <sup>2</sup>	SKU
mm	mm	mm			AluCoat	
50	4500	1000	5.00	105.00	<b>84.13</b>	
100	2000	1000	10.00	210.00	<b>145.52</b>	



Please email to [Miroslaw.paliwoda@owenscorning.com](mailto:Miroslaw.paliwoda@owenscorning.com)



# MATS

## PAROC PRO LOOSE MAT (WR) 600

Stonewool mat with low binder content

**Accessories (pages 49 - 53):**  
 PAROC Pro Knife XTK001/003  
 PAROC Welding Device  
 PAROC Pallet Hood  
 PAROC Head Pins  
 PAROC Galvanized Wire



**-1000 °C**

**NON-COMBUSTIBLE**

**600 °C**

**70 kg/m<sup>3</sup>**

**40 - 120 mm**

**1000 mm**

**2500 - 6500 mm**



Delivery time: **fast** - 3 days; **standard** - 5 days, **special** - individual

Thickness	Length mm	Width	m <sup>2</sup> /pack	m <sup>2</sup> /pallet	Price	
					PLN/m <sup>2</sup>	SKU
mm	mm	mm			Plain	
70	3500	1000	3.50	73.50	<b>81.73</b>	



Please email to [Miroslaw.paliwoda@owenscorning.com](mailto:Miroslaw.paliwoda@owenscorning.com)





# MATS





## PAROC PRO LOOSE MAT (WR) 660

Stonewool mat with low binder content



### Accessories (pages 49 - 53):

PAROC Pro Knife XTK001/003  
PAROC Welding Device  
PAROC Pallet Hood  
PAROC Head Pins  
PAROC Galvanized Wire



Need prices? Please email to [Miroslaw.paliwoda@owenscorning.com](mailto:Miroslaw.paliwoda@owenscorning.com)

# MATS




## PAROC PRO LOOSE WOOL

Stone wool mat with low binder content



### Accessories (pages 49 - 53):

PAROC Pro Knife XTK001/003  
PAROC Welding Device  
PAROC Pallet Hood  
PAROC Head Pins  
PAROC Galvanized Wire








Need prices? Please email to [Miroslaw.paliwoda@owenscorning.com](mailto:Miroslaw.paliwoda@owenscorning.com)

# CLAD-SYSTEM

## PAROC PRO SECTION (WR) 140 CLAD T

Stonewool pipe section with a fibre reinforced aluminium coating

**Accessories (pages 47, 49-53):**  
 PAROC Clad Tape  
 PAROC Pro Knife XTK001/003  
 PAROC Pallet Hoods  
 PAROC Galvanized Wire  
 PAROC Spatula  
 PAROC CUI Spacers



Video PAROC Clad-System

Pallet price list - extra charge for a package delivered in bulk - 10.00 PLN

Delivery time: **fast** - 3 days; **standard** - 5 days, **special** - individual

Nominal insulation thickness, mm									
Inner diameter mm	25	30	40	50	60	80	100	120	140
	PLN/m	PLN/m	PLN/m	PLN/m	PLN/m	PLN/m	PLN/m	PLN/m	PLN/m
76				253.05	326.31	481.80	642.81		
89			227.36	273.13	336.97	551.52	701.14	772.44	
102			240.48	289.48	367.38	567.61	723.26	814.86	
108			247.60	291.80	371.80	585.18	738.63	820.39	
114	185.59	202.23	254.25	319.96	385.83	611.26	757.30	836.71	
127	207.30	240.31	270.88	341.18	403.03	629.32	805.14	874.20	
133	214.34	246.64	283.13	342.88	410.76	642.30	818.16	887.62	
140	251.38	261.19	312.39	355.57	432.97	684.91	908.75	938.58	
159		295.03	353.93	379.98	467.63	739.71	935.37	958.22	
168		334.63	380.30	410.76	504.70	785.16	952.09	985.45	
194		350.68	422.65	466.26	537.13	843.26	1060.82		



Please email to [Miroslaw.paliwoda@owenscorning.com](mailto:Miroslaw.paliwoda@owenscorning.com)



# CLAD-SYSTEM

## PAROC PRO SECTION (WR) 140 CLAD T

Stonewool pipe section with a fibre reinforced aluminium coating



### Accessories (pages 47, 49-53):

- PAROC Clad Tape
- PAROC Pro Knife XTK001/003
- PAROC Pallet Hoods
- PAROC Galvanized Wire
- PAROC Spatula
- PAROC CUI Spacers

Delivery time: **fast** - 3 days; **standard** - 5 days, **special** - individual

Inner diameter mm	Nominal insulation thickness, mm								
	25	30	40	50	60	80	100	120	140
	PLN/m	PLN/m	PLN/m	PLN/m	PLN/m	PLN/m	PLN/m	PLN/m	PLN/m
219		386.53	478.42	567.22	595.71	930.61	1178.16	1239.11	1374.57
273		413.57	511.91	578.56	643.84	949.21	1201.76	1290.67	1553.30
289						1100.60	1325.70	1458.26	1677.03
295						1142.23	1361.59	1497.72	1722.40
305						1174.80	1391.54	1530.69	1760.28
324						1210.32	1422.20	1564.42	1799.08
356						1368.14	1598.12	1757.91	2021.65
371						1459.64	1700.87	1870.96	2151.60
406						1527.19	1774.87	1952.40	2245.25
426						1591.10	1846.50	2031.16	2335.80
457						1791.37	2090.97	2300.07	2645.10
479						1877.83	2201.04	2421.14	2784.32
508						1968.25	2310.65	2541.75	2922.99
533						2021.92	2392.36	2631.59	3026.32
558						2133.34	2520.69	2772.78	3188.66
612						2216.14	2630.40	2893.43	3327.43
630						2300.68	2731.80	3004.98	3455.74
714							2827.08	3109.77	3576.25
813							2944.98	3239.50	3725.41
914							3105.45	3415.98	3928.38









Please email to [Miroslaw.paliwoda@owenscorning.com](mailto:Miroslaw.paliwoda@owenscorning.com)



## CLAD-SYSTEM

### PAROC PRO COMBI (WR) 140 CLAD T

Prefabricated insulation component made of stonewool with a fibre reinforced aluminium coating







Need prices? Please email to [Miroslaw.paliwoda@owenscorning.com](mailto:Miroslaw.paliwoda@owenscorning.com)

## CLAD-SYSTEM

### PAROC PRO BEND (WR) 140 CLAD

Prefabricated insulation component made of stonewool with a fibre reinforced aluminium coating



Need prices? Please email to [Miroslaw.paliwoda@owenscorning.com](mailto:Miroslaw.paliwoda@owenscorning.com)





# CLAD-SYSTEM

## PAROC PRO SEGMENT (WR) 140 CLAD

Ready cut segment for medium and big size pipe elbows made of stone wool pipe section with a fibre reinforced aluminium coating



Accessories (pages 47, 49-53):  
PAROC Pro Knife XTK001/003  
PAROC CUI Spacers



Need prices? Please email to [Miroslaw.paliwoda@owenscorning.com](mailto:Miroslaw.paliwoda@owenscorning.com)





# CLAD-SYSTEM

## PAROC PRO LAMELLA MAT (WR) CLAD

Stonewool lamella mat with a fibre reinforced aluminium coating

**Accessories (pages 47, 49-53):**

- PAROC Clad Tape
- PAROC Clad Dots
- PAROC Head Pins Insulated
- PAROC Pro Knife XTK001/003
- PAROC Welding Device
- PAROC Pallet Hoods
- PAROC Pro Roof Wedge (WR)
- PAROC Galvanized Wire
- PAROC Spatula



Video PAROC Clad-System

Delivery time: **fast** - 3 days; **standard** - 5 days, **special** - individual

Thickness	Length mm	Width	m <sup>2</sup> /pack	m <sup>2</sup> /pallet	Price	
					PLN/m <sup>2</sup>	SKU
mm	mm	mm			Plain	
80	2400	1000	2.40	28.80	202.42	
100	2400	1000	2.40	36.00	219.63	



Please email to [Miroslaw.paliwoda@owenscorning.com](mailto:Miroslaw.paliwoda@owenscorning.com)



# CLAD-SYSTEM ACCESSORIES

## PAROC CLAD DOTS

Optimal solution when it comes to cover pins' heads



### Application

- Fast, clean, generates a good looking, smooth, gapless and tight insulation surface. No risk of condensation. It is also very easy to lift the single dot from the release paper

Ø mm	Piece / roll	Rolls per box
90	100	6

## PAROC CLAD TAPE

Lasting UV and water resistant butyl rubber tape with very high adhesion and ageing resistance



### Application

- Recommended for closing joint on installations with Clad faced products. The butyl sealing tape can be used as moisture and diffusion barriers
- PAROC Clad Tape gives a great finish

Length mm	Width mm	Rolls per box
10000	30	20
10000	50	12
10000	75	8
10000	100	6

## PAROC CLAD ALU TAPE

UV and weather resistance acrylic tape based on a special thermoplastic laminate compound with pure aluminum and PVC



### Application

- The tape provides excellent ageing resistance and is ideal e. g. for sealing the joints of PAROC Clad faced elbows. Recommended for outdoor applications.
- Clad Alu Tape gives a great finish

Length m	Width mm	Rolls per box
50	50	12

## PAROC PRO ROOF WEDGE (WR)

Stone wool wedge plate with a gradient of at least 3%. The length measure corresponds to the longitudinal direction of the duct.



Thickness	Length	Width	m <sup>2</sup> / Pal.	m <sup>2</sup> / Pack
mm	mm	mm		
42/60	1200	600	34.56	
42/60	1200	600		4.32
25/60	600	1200	35.28	
25/60	600	1200		5.04
25/60	1200	600	35.28	
25/60	1200	600		5.04

# OUTER DIAMETER FOR PIPE INSULATION: PIPE SECTIONS AND SEGMENTS

Inner diameter mm	Nominal insulation thickness, mm															
	20	25	30	40	50	60	70	80	90	100	110	120	130	140	150	160
	Outer diameter, mm															
12/15	52	62	72	92	115											
18	62	72	82	102	115	141										
22	62	72	82	102	128	141	167	180								
28	72	82	92	102	128	154	167	193								
35	72	82	92	115	141	154	180	193	219	232						
42	82	92	102	128	141	167	180	206	219	245						
48	92	102	115	128	154	167	193	206	232	245						
54	92	102	115	128	154	180	193	219	232	258						
57	102	102	115	141	154	180	193	219	232	258						
60	102	115	115	141	154	180	206	219	245	258						
64	102	115	128	141	167	180	206	219	245	258	284	310				
70	115	115	128	154	167	193	206	232	245	271	284	310				
76	115	128	141	154	180	193	219	232	258	271	297	310				
84			141	167	180	206	219	245	258	284	310	323				
89	128	141	154	167	193	206	232	245	271	284	310	323				
102	141	154	167	180	206	219	245	258	284	297	323	336				
108		154	167	193	206	232	245	271	284	310	323	349				
114		167	180	193	219	232	258	271	297	310	336	349				
121		167	180	206	219	245	258	284	297	323	336	362				
127		180	193	206	232	245	271	284	310	323	349	362				
133		180	193	219	232	258	271	297	310	336	349	375				
140		193	206	219	245	258	284	297	323	336	362	375				
156		206	219	232	258	271	297	310	336	362	375	401				
159		206	219	245	258	284	297	323	336	362	375	401				
168		219	232	245	271	284	310	323	349	362	388	414				
178		232	232	258	284	297	323	336	362	375	401	414				
194		245	258	271	297	310	336	349	375	388	414					
208			271	284	310	323	349	362	388	414	427					
219			284	297	323	336	362	375	401	414	440	453	479	505	518	544
230			284	310	336	349	375	388	414	427	453	466	492	505	531	544
240			297	323	336	362	375	401	414	440	466	479	505	518	544	557
245			310	323	349	362	388	401	427	440	466	479	505	531	544	570
259			323	336	362	375	401	414	440	453	479	505	518	544	557	583
273			336	349	375	388	414	427	453	479	492	518	531	557	570	596
289			349	375	388	414	427	453	466	492	505	531	544	570	583	609
295			349	375	401	414	440	453	479	492	518	531	557	570	596	609
305			362	388	401	427	440	466	479	505	531	544	570	583	609	622
324			388	401	427	440	466	479	505	518	544	570	583	609	622	648
356			414	440	453	479	492	518	531	557	570	596	622	635	661	674
371			427	453	466	492	505	531	557	570	596	609	635	648	674	687
377			440	453	479	492	518	531	557	583	596	622	635	661	674	700
406			466	492	505	531	544	570	583	609	622	648	661	687	700	726
426			492	505	531	544	570	583	609	622	648	661	687	700	726	752
457			518	531	557	583	596	622	635	661	674	700	713	739	752	778
479			544	557	583	596	622	635	661	674	700	713	739	765	778	804
490			544	570	596	609	635	648	674	687	713	726	752	765	791	804
508			570	583	609	622	648	674	687	713	726	752	765	791	804	830
533				609	635	648	674	687	713	739	752	778	791	817	830	856
558				635*	661	674	700	713	739	752	778	804	817	843	856	882
612				687*	713	726	752	778	791	817	830	856	869	895	908	934
630				713*	726	752	765	791	804	830	856	869	895	908	934	947
665				739*	765	791	804	830	843	869	882	908	921	947	960	986
714					817	830	856	869	895	908	934	960	973	999	1012	1038*
720					817	843	856	882	895	921	934	960	986	999	1025	1038*
762					856	882	908	921	947	960	986	999	1025	1038	1064*	1077*
813					908	934	947	973	999	1012	1038	1051	1077	1090	1116*	1129*
822					921	947	960	986	999	1025	1038	1064	1077	1103	1116	1142
914					1012	1038	1051	1077	1090	1116	1129	1155	1168	1194	1220	
1016							1155	1181	1194	1220						

Blank box - not made

414 Underlined - delivered hinged or halves (F1) according to request (F1 disallows AluCoat T)

427 Red - delivered only in halves (F1)

Not made with facings

Not made in 140 kg density

635\* Red with asterisk - not made in WR 140 kg density

Boundary of selection available with facing AluCoat T

Boundary of selection available as Pro Lock



# ACCESSORIES

## PAROC PALLET HOODS



### Application

- Protective, waterproof hood ideal for covering pallets against dirt, moisture and dust

Length mm	Width mm	Max. pallet size in mm	PU
1600	1200	1200 x 1200	10
2900	3300	2300 x 1150 and 2400 x 1000	1

## PAROC PRO KNIFE – XTK 001



- Particularly suitable for cutting PAROC products (Clad systems)
- Number scale on the blade (determination of insulation thickness)

Blade	Grind blade	Item
approx.300 mm	Serrated edge (serrated)	XTK 001

## PAROC PRO KNIFE – XTK 003




- Suitable for cutting PAROC products
- Number scale on the blade (determination of insulation thickness)

Blade	Grind blade	Item
approx.300 mm	Smooth finish	XTK 003

## PAROC SPATULA

Plastic spatula for supporting pressure and for optical smoothing of the tape



Length mm	Width mm	PU Pieces / box
100	70	20

# ACCESSORIES

## PAROC CUI SPACERS



- Silicone distance block qualified for high-temperature environment. These constitute an elegant solution for minimizing corrosion under insulation (CUI).
- PAROC CUI Spacer is made of a high-temperature and high-performance silicone material creating a 13 mm air gap between the insulation material and the pipe surface, allowing moisture to dry out and leading water away from the pipe surface. For dimensioning guidance, please refer to the separate dimensioning guide.

Height	Diameter	Pieces
mm	mm	Package
PAROC CUI Spacer		
13	12-25	200
PAROC CUI Spacer with Spring		
13	12-25	100

## PAROC CUI SPACERS (BELT)



- PAROC CUI Belt is a PTFE ring qualified for high-temperature environment, tailored to accommodate and align PAROC CUI Spacers around a pipe. Together, these constitute an elegant solution for minimizing corrosion under insulation (CUI).
- PAROC CUI Belt acts as support structure for PAROC CUI Spacers, facilitating easy installation and a uniform 13 mm air gap between the insulation material and the pipe surface, allowing moisture to dry out and leading water away from the pipe surface. For dimensioning guidance, please refer to the separate dimensioning guide.

Length	Width	Thickness	Pieces / Package
mm	mm	mm	
3000	30	0,9	25

# ACCESSORIES

## PAROC HEAD PINS INSULATED



### Application

- Fastening of PAROC products

### Technical specifications

- Pin made of St37 copper-plated
- Plate made of St37 galvanized

Length mm	Plate diameter [mm]	Number of pieces/Package
19	30	1000
22	30	1000
28	30	1000
30	30	1000
38	30	1000
41	30	1000
47	30	1000
50	30	1000
54	30	1000
58	30	1000
60	30	1000
62	30	1000
68	30	500
73	30	500
78	30	500
89	30	500
98.5	30	500
101.6	30	500

## PAROC HEAD PINS



### Application

- Fastening of PAROC products

### Technical specifications

- Pin made of St37 copper-plated
- Plate made of St37 galvanized

Length mm	Plate diameter [mm]	Number of pieces/Package
19	30	1000
22	30	1000
28	30	1000
30	30	1000
38	30	1000
41	30	1000
47	30	1000
50	30	1000
54	30	1000
58	30	1000
60	30	1000
62	30	1000
68	30	500
73	30	500
78	30	500
89	30	500
98.5	30	500
101.6	30	500

# ACCESSORIES

## PAROC WELDING DEVICE



### Application

- The PAROC capacitor discharge welding device PPWD has been designed for welding directly through the insulation. With this, you will be able to fasten the insulation to a surface in a one process step.

Capacity	Energy supply	Welding time	Weight	Size	Warranty
132.000 µF	230 V, 10A fuse protection	from 1 to 3 ms	11 kg	430 mm x 165 mm x 180 mm	12 months

## PAROC ALUcoat TAPE

Fiberglass reinforced aluminum tape with acrylic pressure sensitive low temperature flame-retardant acrylic adhesive and siliconized release paper liner. PAROC logo printed on the surface.



### Application

- Ideal for sealing joints when using PAROC AluCoat products such as sections, lamella mats or slabs
- Gives a great finish and safe installation

### Technical specifications

- Surface temperature of the insulation (processing temperature) +5 °C to +40 °C
- Temperature resistance -35 °C to +120 °C
- The surface of the insulation must be dry, free of dust and grease - dry storage at an ambient temperature of +18 °C to +25 °C and protected from direct sunlight

Length mm	Width mm	Rolls per box	Cartons/pallet
50000	50	24	24
50000	75	16	24

## PAROC GALVANIZED WIRE

Galvanized wire for spiral winding of pipe sections etc.



Thickness	About number	Package
mm	of coils	kg
0.70	250	25

# ACCESSORIES

## PAROC HT TAPE

Special-purpose high temperature protection tape featuring outstanding adhesive strength. Maximal working temperature is 350 °C (peak), 250 °C (continuously)



### Application

- Ideal for PAROC Fire Place Slabs and other high temperature applications.
- Highly temperature resistant and age resistant.

Length mm	Width mm	Rolls per box	Cartons/pallet
50000	50	24	24
50000	80	18	24
50000	110	12	24

## PAROC HVAC DOTS

A great solution for covering the head pins used on lamella mat on a duct in a fast, clean, even, moisture resistant and convenient way



### Application

- Large portfolio of accessories:  
Complete system including PAROC Head Pin, spatula, PAROC Hvac Lamella Mat AluCoat, PAROC Hvac Tape and PAROC Hvac Dots
- For less waste on the construction site
- Maintenance-free - will last as long as insulation
- Only spatula needed for fixation

Ø mm	Piece / roll	Rolls per box
60	750	8

## PAROC PRO CLADDING SUPPORT 100 AND 140

Mineral wool supporting ring



### Application

- Easy to use and an obvious solution which can substitute standard metal supporting rings for heavy metal claddings without creating thermal bridges
- Beneficial when using material with poor compression strength for pipe insulation

Thickness mm	Diameter mm	Maximum service temperature
50 - 120	114 - 1016	640 °C - PAROC Pro Cladding Support 100 680 °C - PAROC Pro Cladding Support 140


Other dimensions on request

*PAROC® stands for energy-efficient and fire safe insulation solutions of stone wool for new and renovated buildings, marine and offshore, acoustics and other industrial applications. Behind those products, there is an 80-year history of stone wool production knowhow backed with technical insulation expertise and innovation.*

*Building Insulation offering covers a wide range of products and solutions for all traditional building insulation. The building insulation products are mainly used for the thermal, fire and sound insulation of exterior walls, roofs, floors and basements, intermediate floors and partitions. Sound absorbing ceilings and wall panels for interior acoustic control, as well as industrial noise control products, are available in the range.*

*Technical Insulation offering includes thermal, fire and sound insulation in HVAC systems, industrial processes and pipework, industrial equipment as well as shipbuilding and offshore industry.*

*For more information please visit [www.paroc.com](http://www.paroc.com)*



Technical information contained herein is furnished without charge or obligation and is given and accepted at recipient's sole risk. Because conditions of use may vary and are beyond our control, Paroc makes no representation about, and is not responsible or liable for the accuracy or reliability of data associated with particular uses of any product described herein. Paroc reserves the right to modify this document without prior notice.

Applications: February 2024  
1030TIPL1223  
© Paroc 2023

